

XT30

International Series Programming Sheet

NAME _____ ACCOUNT NUMBER _____ DATE _____
ADDRESS _____ CITY _____ STATE _____ ZIP _____



While filling out this programming sheet, keep in mind that factory default values are shown in **bold**.

COMMUNICATION

Account Number _____ (1 to 65,535 default = **12345**)
Transmission Delay ____ (0, 15 to 45 sec., default = **30**)
Communication Type **DD** CID NET CELL WIFI NONE
Backup Dialer **NO** YES
Backup Cell **NO** YES
Test Time ____ : ____ **AM** PM
Net Test Days ____ (0 to 60 days, default = **1**)
Dialer Test Days ____ (0 to 60 days, default = **1**)
Cell Test Days ____ (0 to 60 days, default = **1**)
Check-In Minutes ____ (0, or 15 to 240 min., default = **0**)
Fail Time ____ (0, or 15 to **240** min.)
Send Comm Trouble **NO** **YES**
First GPRS APN _____

Receiver 1 Programming:

Alarm Reports **NO** **YES**
Supv/Trouble **NO** **YES**
O/C & User **NO** **YES**
Test Report **NO** **YES**
First Phone Number _____
Second Phone Number _____

First IP Address _____
First IP Port _____ (default = **2001**)
Second IP Address _____
Second IP Port _____ (default = **2001**)

Receiver 2 Programming:

Receiver 2 Backup? **NO** YES
Alarm Reports **NO** YES
Supv/Trouble **NO** YES
O/C & User **NO** YES
Test Report **NO** YES
First IP Address _____
First IP Port _____ (default = **2001**)
Second IP Address _____
Second IP Port _____ (default = **2001**)

NETWORK OPTIONS

Wi-Fi Setup WPS LIST MANUAL TEST
SSID _____
Wireless Security WEP **WPA** NONE
Wireless Key _____
DHCP **NO** **YES**
Local IP Address _____
Gateway Address _____
Subnet Mask _____
DNS Server _____
Programming Port _____ (default = **2001**)

DEVICE SETUP

Device 1
Device Name _____
Device 2
Device Name _____
Door **NO** YES
Network **NO** YES
Wireless **NO** YES Serial # _____
Supervision Time 0 60 **240**
Device 3
Device Name _____
Door **NO** YES
Network **NO** YES
Wireless **NO** YES Serial # _____
Supervision Time 0 60 **240**

Device 4

Device Name _____
Door **NO** YES
Network **NO** YES
Wireless **NO** YES Serial # _____
Supervision Time 0 60 **240**

Device 5

Device Name _____
Door **NO** YES
Network **NO** YES
Wireless **NO** YES Serial # _____
Supervision Time 0 60 **240**

Device 6

Device Name _____
Door **NO** YES
Network **NO** YES
Wireless **NO** YES Serial # _____
Supervision Time 0 60 **240**

Device 7

Device Name _____
Door **NO** YES
Network **NO** YES
Wireless **NO** YES Serial # _____
Supervision Time 0 60 **240**

Device 8

Device Name _____
Door **NO** YES
Network **NO** YES
Wireless **NO** YES Serial # _____
Supervision Time 0 60 **240**

REMOTE OPTIONS

Remote Key _____
Manufacturer Authorization **NO** YES
Armed Rings ____ (0 to 15, default = **8**)
Disarmed Rings ____ (0 to 15, default = **8**)
Alarm Receiver **NO** YES
Service Receiver **NO** **YES**
Disarm **NO** **YES**
App Key _____

SYSTEM REPORTS

Opening/Closing Reports **NO** YES
Abort Reports **NO** YES
Zone Restoral Reports **NO** **YES** DISARM
Bypass Reports **NO** **YES**
Code Change Reports **NO** YES
Send Stored Messages **NO** YES
Ambush Reports **NO** YES
Late To Open Minutes ____ (0 to 240 min.)
Early To Close Minutes ____ (0 to 240 min.)
Entry Check-in Protection **NO** **YES**

SYSTEM OPTIONS

System AREA **A/P** H/S/A
Closing Code **NO** YES
Closing Check **NO** YES
Entry Delay 1 ____ (30 to 250 sec.)
Entry Delay 2 ____ (30 to 250 sec., default = **60**)
Exit Delay ____ (45 to 250 sec., default = **60**)
Cross Zone Time ____ (0, 4 to 250 sec.)
Power Fail Delay ____ (0, 1 to 9 hrs.)
Swinger Bypass Trips ____ (0 to 6, default = **2**)
Reset Swinger Bypass **NO** YES
Zone Activity Hours ____ (0 to 9 hrs.)
Arm Activity Days ____ (0 to 99 days)
Time Change **NO** **YES**
Hours from GMT ____ (0 to 23 hrs., default = **6**)

Time Display	NO	YES			
House Code	__	(0 to 50)			
Detect Wireless Jamming	NO	YES			
Trouble Audibles	ANY	DAY	MIN		
Built-In 1100 Wireless	NO	YES	(XT50 Only)		
Wireless Encryption	ALL	BOTH	NONE		
Enter Passphrase	*****				
Enable Keypad Panic Keys	NO	YES			
Wireless Encryption	ALL	BOTH	NONE		
Enter Passphrase	*****				
Occupied Premises	NO	YES			
Use False Alarm Question	NO	YES			
Weather Zip Code	__	__	Default = 0		
EOL Selection	1K	2.2K	3.3k	4.7K	
Celsius Temperature Option	NO	YES			

BELL OPTIONS

Bell Cutoff Time	__	(0 to 15 min., default = 5)
Automatic Bell Test	NO	YES
Bell Output	__	(0 to 4, 31-34, 41-44, F1-F20)

Bell Action . . .

Fire Zones	Steady	Pulse	Temporal	None
Burglary Zones	Steady	Pulse	Temporal	None
Supervisory Zones	Steady	Pulse	Temporal	None
Panic Zones	Steady	Pulse	Temporal	None
Emergency Zones	Steady	Pulse	Temporal	None
Auxiliary 1 Zones	Steady	Pulse	Temporal	None
Auxiliary 2 Zones	Steady	Pulse	Temporal	None
Carbon Monoxide (CO)	Steady	Pulse	Temporal	None

OUTPUT OPTIONS

Cutoff Output	1 2 3 4
Cutoff Time	__ (0 to 15 min.)
Comm Fail Output	__ (0 to 4, 31-34, 41-44, F1-F20)
Fire Alarm Output	__ (0 to 4, 31-34, 41-44, F1-F20)
Fire Trouble Output	__ (0 to 4, 31-34, 41-44, F1-F20)
Panic Alarm Output	__ (0 to 4, 31-34, 41-44, F1-F20)
Ambush Output	__ (0 to 4, 31-34, 41-44, F1-F20)
Entry Output	__ (0 to 4, 31-34, 41-44, F1-F20)
Begin Exit Output	__ (0 to 4, 31-34, 41-44, F1-F20)
End Exit Output	__ (0 to 4, 31-34, 41-44, F1-F20)
Ready Output	__ (0 to 4, 31-34, 41-44, F1-F20)
Armed Home Output	__ (0 to 4, 31-34, 41-44, F1-F20)
Armed Sleep Output	__ (0 to 4, 31-34, 41-44, F1-F20)
Armed Away Output	__ (0 to 4, 31-34, 41-44, F1-F20)
Armed All Output	__ (0 to 4, 31-34, 41-44, F1-F20)
Armed Perim Output	__ (0 to 4, 31-34, 41-44, F1-F20)
Armed Output	__ (0 to 4, 31-34, 41-44, F1-F20)
Disarmed Output	__ (0 to 4, 31-34, 41-44, F1-F20)
Burglary Output	__ (0 to 4, 31-34, 41-44, F1-F20)
Arm-Alarm Output	__ (0 to 4, 31-34, 41-44, F1-F20)
Heat Saver Temperature	__ (0 to 4, 31-34, 41-44, F1-F20)
Cool Saver Temperature	__ (0 to 4, 31-34, 41-44, F1-F20)
Carbon Monoxide (CO)	__ (0 to 4, 31-34, 41-44, F1-F20)
Zone Monitor Ouput	__ (0 to 4, 31-34, 41-44, F1-F20)

OUTPUT INFORMATION

Output 1	
Output Name	_____
Output 2	
Output Name	_____
Output 3	
Output Name	_____
Output 4	
Output Name	_____

OUTPUT INFORMATION (WIRELESS)

Output 31	
Output Name	_____
Serial #	_____
Supervision Time	0 60 240
Trip with Panel Bell	NO YES
Output 32	
Output Name	_____
Serial #	_____
Supervision Time	0 60 240
Trip with Panel Bell	NO YES
Output 33	
Output Name	_____
Serial #	_____
Supervision Time	0 60 240
Trip with Panel Bell	NO YES

Output 34

Output Name	_____
Serial #	_____
Supervision Time	0 60 240
Trip with Panel Bell	NO YES

Output 41

Output Name	_____
Serial #	_____
Supervision Time	0 60 240
Trip with Panel Bell	NO YES

Output 42

Output Name	_____
Serial #	_____
Supervision Time	0 60 240
Trip with Panel Bell	NO YES

Output 43

Output Name	_____
Serial #	_____
Supervision Time	0 60 240
Trip with Panel Bell	NO YES

Output 44

Output Name	_____
Serial #	_____
Supervision Time	0 60 240
Trip with Panel Bell	NO YES

Note: Assign Output Numbers 31 to 34 for slow response time wireless outputs (activates within 15 seconds) or 41 to 44 for fast response time wireless outputs (activates within 1 second). Assign an 1135INT Wireless Siren to any output number and it operates with a fixed 3 second response.

AREA INFORMATION

Area 1

Area Name	_____
Auto Arming	NO YES
Bad Zones	BYP FORC REF (When using Schedules)
Auto Disarming	NO YES

Area 2

Area Name	_____
Auto Arming	NO YES
Bad Zones	BYP FORC REF
Auto Disarming	NO YES

Area 3

Area Name	_____
Auto Arming	NO YES
Bad Zones	BYP FORC REF
Auto Disarming	NO YES

Area 4

Area Name	_____
Auto Arming	NO YES
Bad Zones	BYP FORC REF
Auto Disarming	NO YES

Area 5

Area Name	_____
Auto Arming	NO YES
Bad Zones	BYP FORC REF
Auto Disarming	NO YES

Area 6

Area Name	_____
Auto Arming	NO YES
Bad Zones	BYP FORC REF
Auto Disarming	NO YES

EN 50131 GRADE

0 2

ZONE INFORMATION (CONTINUED)

XT30INT Zone Information		Key Fob	Type	Area	Wireless	Contact	External Contact	TI/4 Contact	Supervision Time	LED Operation	Disarm-Disable	PIR Pulse Count	Sensitivity	Pet Immunity	Disarmed Open	Disarmed Short	Armed Open	Armed Short	Chime	Entry Delay	Cross Zone	Priority	Traffic Count	Zone Audit Days	Receiver Routing	Style	
Zone #	Zone Name	Serial Numbers	NT DY EX FI EM A1 A2 FV AR CO IN	INT BDRM PERIM or 1 to 6	N or Y	INT or EXT	N or Y	1 2 3 4	0 3 60 240	N or Y	N or Y	2 or 4	Low or High	N or Y	A P M L F -	S P M L F -	S P M L F -	S P M L F -	None DB ASC DSC	1 or 2	N or Y	N or Y	N or Y	0 or 99	NORM 1 2 BOTH	TGL ARM DIS STEP MNT	
NIGHT			N	NT	N	INT	N	1	240	Y	Y	4	Low	N	-	O	S	A	O	S	Y	DB	N	N	0		
DAY			N	DY	N	INT	N	1	240	Y	Y	4	Low	N	T	O	S	A	O	S	Y	DB	N	N	0		
EXIT			N	EX	N	INT	N	1	240	Y	Y	4	Low	N	-	O	S	A	O	S	Y	DB	N	N	0		
FIRE			N	FI	N	INT	N	1	240	Y	Y	4	Low	N	T	O	S	A	O	S	N		N	N	0		
PANIC			N	PN	N	INT	N	1	240	Y	Y	4	Low	N	T	O	S	A	O	S	N		N	N	0		
EMERGENCY			N	EM	N	INT	N	1	240	Y	Y	4	Low	N	T	O	S	A	O	S	N		N	N	0		
SUPERVISORY			N	SV	N	INT	N	1	240	Y	Y	4	Low	N	T	O	S	A	O	S	N		N	N	0		
AUXILIARY 1			N	A1	N	INT	N	1	240	Y	Y	4	Low	N	T	O	S	A	O	S	N		N	N	0	NORM	
AUXILIARY 2			N	A2	N	INT	N	1	240	Y	Y	4	Low	N	T	O	S	A	O	S	N		N	N	0	NORM	
FIRE VERIFY			N	FV	N	INT	N	1	240	Y	Y	4	Low	N	T	O	S	A	O	S	N		N	N	0		
ARMING			N	AR	N	INT	N	1	240	Y	Y	4	Low	N	T	O	S	A	O	S	N		N	N	0		TGL
CARBON MONOXIDE			N	CO	N	INT	N	1	240	Y	Y	4	Low	N	T	O	S	A	O	S	N		N	N	0		
INSTANT			N	IN	N	INT	N	1	240	Y	Y	4	Low	N	-	O	S	A	O	S	N	DB	N	N	0		
			* Outputs = 31 to 34, 41 to 44, or F1-F20. = This function not available for this zone type.																								
1																											
2																											
3																											
4																											
5																											
6																											
7																											
8																											
9																											
10																											